



COPPER (I) OXIDE

1. Product Identification

Synonyms: Red Copper Oxide; Brown Copper Oxide; Copper (I) Oxide

CAS No.: 1317-39-1

Molecular Weight: 143.09

Chemical Formula: Cu_2O

Product Code : 30842

2. Composition/Information on Ingredients

Ingredient	CAS No	Percent
Copper(I) Oxide	1317-39-1	90 - 100%

3. Hazards Identification

Potential Health Effects

Inhalation: Causes irritation to respiratory tract, symptoms may include coughing, sore throat, and shortness of breath. May result in ulceration and perforation of respiratory tract. When heated, this compound may give off copper fume, which can cause symptoms similar to the common cold, including chills and stuffiness of the head.

Ingestion: If ingested in large amounts, gastrointestinal irritation may occur with salivation, nausea, vomiting, gastric pain, diarrhea and possible hemorrhagic gastritis.

Skin Contact: Causes irritation to skin. Symptoms include redness, itching, and pain. Hair and skin discoloration are possible from exposure to copper fume.

Eye Contact: Contact is irritating and may cause conjunctivitis, ulceration or clouding of the cornea.

Chronic Exposure: No information found.

Aggravation of Pre-existing Conditions: Persons with pre-existing skin disorders or impaired liver, kidney, or pulmonary function or pre-existing Wilson's disease may be more susceptible to the effects of this material.

4. First Aid Measures

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion: Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person.

Skin Contact: Immediately flush skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

5. Fire Fighting Measures

Fire: Not considered to be a fire hazard.

Explosion: Not considered to be an explosion hazard.

Fire Extinguishing Media: Use any means suitable for extinguishing surrounding fire.

The information contained herein is in good faith but makes no representations as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. We do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.



Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

Special Information: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode.

6. Accidental Release Measures

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8.

Spills: Sweep up and containerize for reclamation or disposal. Vacuuming or wet sweeping may be used to avoid dust dispersal.

7. Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage.

Avoid creating dust. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

8. Exposure Controls/Personal Protection

Airborne Exposure Limits: Copper Dust and Mists, as Cu:

- OSHA Permissible Exposure Limit (PEL) - 1 mg/m³ (TWA)

- ACGIH Threshold Limit Value (TLV) - 1 mg/m³ (TWA)

Copper Fume:

- OSHA Permissible Exposure Limit (PEL) - 0.1 mg/m³ (TWA)

- ACGIH Threshold Limit Value (TLV) - 0.2 mg/m³ (TWA)

Ventilation System: A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.

Personal Respirators : If the exposure limit is exceeded and engineering controls are not feasible, a full facepiece particulate respirator (NIOSH type N100 filters) may be worn for up to 50 times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest.

Skin Protection: Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Eye Protection: Use chemical safety goggles and/or full face shield where dusting or splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area.

9. Physical and Chemical Properties

Appearance: Red to reddish-brown cubic crystals or yellow microcrystalline powder.

Odor: No information found.

Solubility: Practically insoluble in water.

Specific Gravity: 6.00 @ 25C/4C

pH: No information found.

% Volatiles by volume @ 21C (70F): 0

Boiling Point: 1800C (3272F) Decomposes.

Melting Point: 1232C (2250F)

Vapor Density (Air=1): Not applicable.

Vapor Pressure (mm Hg): Not applicable.

Evaporation Rate (BuAc=1): No information found.



Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

10. Stability and Reactivity

Stability: Stable under ordinary conditions of use and storage. Stable in dry air, but gradually oxidizes in moist air to cupric oxide, CuO.

Hazardous Decomposition Products: No information found.

Hazardous Polymerization: Will not occur.

Incompatibilities: Copper (I) Oxide is incompatible with aluminum (violent reaction when heated), lithium nitride, and peroxyformic acid (potentially explosive reaction). Promotes the decomposition of hydrazine and can form explosive acetylides with acetylene + caustic solution. Will corrode aluminum.

Conditions to Avoid: Dusting, air, moisture, heat, and incompatibles.

11. Toxicological Information

Copper (I) Oxide: 470 mg/kg LD50 oral rat. Investigated as a reproductive effector.

12. Ecological Information

Environmental Fate: No information found.

Environmental Toxicity: No information found.

13. Disposal Considerations

Dispose of container and unused contents in accordance with federal, state and local requirements.

14. Transport Information

Not regulated.

15. Regulatory Information

SARA 311/312: Acute: Yes Chronic: No Fire: No Pressure: No

Reactivity: No (Pure / Solid)

16. Other Information

Product Use:

Laboratory Reagent.