



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Acetic Acid AR Grade
Batch No. : 223095
Date of Mfg. : April 2019
Date of Exp. : March 2024
Register No. : 2019-20
Qty of Sample : 500ml
Date of Analysis : April 2019

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	A Clear colorless liquid
2.	Assay	99.83%	Min.99.8%
3.	Wt. per ml at 20°C	1.0498gm	About 1.049 g
4.	Freezing point	Passes	Not below 16.2°C
5.	Colour	Passes	Max.10 Hazen units
6.	Water insoluble matter	Passes	Passes test
7.	Water	0.098%	Max.0.2%
8.	Non-volatile matter	0.0008%	Max.0.001%
9.	Chloride	0.0001%	Max.0.0001%
10.	Formate	0.0065%	Max.0.01%
11.	Sulphate	0.0001%	Max.0.0001%
12.	Substances reducing Permanganate (O)	Passes	Max.0.003%

Chief Chemist