



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket "D", Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Methyl Red Indicator
Batch No. : 224157
Date of Mfg : Sep 2020
Date of Exp : Aug 2025
Register No. : 2020-21
Qty of Sample : 100 gm
Date of Analysis : Sep 2020

S. No	Test Parameters	Observed Values	Standard Values
1.	Appearance	Passes	Dark red powder
2.	Transition range	Passes	pH 4.2 - 6.2 Red - Yellow
3.	Solubility 0.1% (EtOH)	Passes	Red solution
4.	Absorptivity 1%, 1cm (pH 6.2) at λ max.432.2 nm (pH 4.2) at λ max.526.0 nm	766 1350	700 – 800 1300-1400
5.	Loss on drying at 110°C (1 hr)	2.28%	< 3%

Chief Chemist