



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Copper Turnings for Laboratory
Batch No. : 224110
Date of Mfg : Aug 2020
Date of Exp : July 2025
Register No. : 2020-21
Qty of Sample : 500gm
Date of Analysis : Aug 2020

S. No	Test Parameters	Observed Values	Standard Values
1.	Appearance	Passes	Bright Reddish metallic turnings
2.	Assay	99.2%	Min.99%
3.	Substances insoluble in HNO ₃	< 0.05%	Max. 0.05%
4.	Lead	< 0.05%	Max. 0.05%
5.	Iron	< 0.005%	Max. 0.005%
6.	Manganese	< 0.005%	Max. 0.005%
7.	Tin	< 0.005%	Max. 0.005%

Chief Chemist