



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : **Mercuric Chloride AR**
Batch No. : **224552**
Date of Mfg : **March 2021**
Date of Exp : **Feb 2026**
Register No. : **2021-22**
Qty of Sample : **100gm**
Date of Analysis : **March 2021**

S.No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	White Crystalline Powder
2.	Assay	99.8 %	Min.99.5 %
3.	Diethyl ether insoluble matter	Passes	Max.0.01 %
4.	Water insoluble matter	0.0054 %	Max.0.01 %
5.	Residue after reduction	0.012 %	Max.0.02 %
6.	Nitrate	<0.001 %	Max.0.001 %
7.	Calcium	<0.001 %	Max.0.001 %
8.	Copper	<0.0005 %	Max.0.0005 %
9.	Iron	<0.001 %	Max.0.001 %
10.	Lead	<0.0005 %	Max.0.0005 %
11.	Magnesium	<0.001 %	Max.0.001 %
12.	Potassium	<0.005 %	Max.0.005 %
13.	Sodium	<0.005 %	Max.0.005 %

Chief Chemist