



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Dimethyl Sulphoxide
Batch No. : 224702
Date of Mfg : May 2021
Date of Exp : April 2026
Register No. : 2021-22
Qty of Sample : 500ml
Date of Analysis : May 2021

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	A clear , colorless liquid
2.	Assay (GC)	99.92%	Min.99%
3.	Wt. per ml at 20°C	1.1 g	1.099-1.101 g
4.	Freezing point	Passes	18 - 19°C
5.	Water	0.05%	Max.0.2%

Chief Chemist