



Serving Scientific Community  
Since 1985



**TECHNO PHARMCHEM**

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)  
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)  
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)  
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com  
Website : www.technopharmchem.com

### CERTIFICATE OF ANALYSIS

Name of the Sample : Yeast Extract Powder  
Batch No. : 224714  
Date of Mfg : June 2021  
Date of Exp : May 2024  
Register No. : 2021-22  
Qty of Sample : 500 gm  
Date of Analysis : June 2021

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	Fine free flowing creamy Yellow–light brown powder
2.	pH (2% solution)	6.15	5.0 - 7.0
3.	Assay (ex N , on dried Basis)	63.5%	Min.60.0%
4.	Loss on drying	3.84%	Max.5.0%
5.	Ash	5.98%	N.M. T 10%
6.	Foreign material	Passes	Absent
7.	Coagulable proteins	Passes	Absent
8.	Suitability for micro- Biology & bacteriology	Passes	To Pass test

Chief Chemist