



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Magnesium Stearate
Batch No. : 224778
Date of Mfg. : July 2021
Date of Exp. : June 2026
Register No. : 2021-22
Qty of Sample : 500gm
Date of Analysis : July 2021

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	Fine white or almost fine white powder
2.	Assay of Mg (on dried sample)	4.13%	3.8 - 5.0%
3.	Loss on drying (105°C)	3.55%	Max 6.0%
4.	Acidity/alkalinity	0.002 ml N%	Max 1.0 ml N%
5.	Heavy metals (as Pb)	<0.002%	Max 0.002%
6.	Zinc stearate	<0.5%	Max 0.5%
7.	Chloride	<0.02%	Max 0.02%
8.	Sulphate	<0.3%	Max 0.3%

Chief Chemist