



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Arsenic Trioxide AR
Batch No. : 224538
Date of Mfg : Feb 2021
Date of Exp : Jan 2026
Register No. : 2021-22
Qty of Sample : 500 gm
Date of Analysis : Feb 2021

S.No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	Almost white powder
2.	Assay	99.23%	Min. 99%
3.	Insoluble matter in NH ₄ OH	< 0.01%	Max. 0.01%
4.	Residue on ignition	0.046%	Max. 0.05%
5.	Chloride	0.0048%	Max. 0.005%
6.	Sulphide	< 0.001%	Max. 0.001%
7.	Antimony	< 0.05%	Max. 0.05%
8.	Iron	0.00082%	Max. 0.001%
9.	Lead	Not detected	Max. 0.002%

Chief Chemist