



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Paraffin Wax 60-62°C
Batch No. : 224908
Date of Mfg : Aug 2021
Date of Exp : July 2026
Register No. : 2021-22
Qty of Sample : 500gm
Date of Analysis : Aug 2021

S. No	Test Parameters	Observed Values	Standard Values
1.	Appearance	Passes	White waxy masses
2.	Impurities reacting alkaline or acid	Passes	To Pass test
3.	Solidification point	Passes	60 - 62°C
4.	Extinction	Passes	To Pass test
5.	Reaction against H ₂ SO ₄	Passes	To Pass test
6.	Sulphated ash	< 0.05%	Max.0.05%

Chief Chemist