



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Ammonium Thiocyanate
Batch No. : 224629
Date of Mfg : April 2021
Date of Exp : March 2026
Register No. : 2021-22
Qty of Sample : 500gm
Date of Analysis : April 2021

S.No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	White Crystalline Powder
2.	Assay (argentometric)	99.08%	Min.97%
3.	Non-volatile matter	0.054%	Max.0.1%
4.	Chloride	0.015%	Max.0.02%
5.	Sulphate	0.002%	Max.0.02%
6.	Iron	0.0005%	Max.0.0005%

Chief Chemist