



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : **Glycerol AR**
Batch No. : **225000**
Date of Mfg : **Sep 2021**
Date of Exp. : **Aug 2026**
Register No. : **2021-22**
Qty of Sample : **500 ml**
Date of Analysis : **Sep 2021**

S. No	Test Parameters	Observed Values	Standard Values
1.	Appearance	Passes	A Clear colorless or almost colorless, Hygroscopic, syrupy liquid.
2.	Assay	99.8%	Min.99.5%
3.	Weight per ml at 20°C	1.259g	1.257 – 1.261g
4.	Refractive Index	1.471	1.471 – 1.474
5.	Sulphated ash	0.002%	Max.0.005%
6.	Chloride	0.0001%	Max.0.0001%
7.	Sulphate	0.0005%	Max.0.0005%
8.	Iron	0.00005%	Max.0.00005%
9.	Lead	0.00005%	Max.0.00005%
10.	Glycerol tributyrate	0.052%	Max.0.08%
11.	Fatty acids	Passes	Passes test
12.	Organic impurities	Passes	Passes test
13.	Reducing substances	Passes	No Reaction
14.	Sugars (glucose)	Passes	Max.0.004%

Chief Chemist