



Serving Scientific Community  
Since 1985



**TECHNO PHARMCHEM**

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)  
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)  
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)  
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com  
Website : www.technopharmchem.com

### CERTIFICATE OF ANALYSIS

**Name of the Sample** : **Dichloromethane for Synthesis**  
**Batch No.** : **225113**  
**Date of Mfg** : **Nov 2021**  
**Date of Exp** : **Oct 2026**  
**Register No.** : **2021-22**  
**Qty of Sample** : **500ml**  
**Date of Analysis** : **Nov 2021**

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	A Clear colorless liquid
2.	Assay	99.2%	Min.98%
3.	Wt. per ml at 20°C	1.324g	1.323-1.327 g
4.	Water	0.021%	Max.0.05%
5.	Non volatile matter	0.0008%	Max.0.001%
6.	Acidity	0.0001%	Max.0.001%

**Chief Chemist**