



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Propan-2-ol AR
Batch No. : 225125
Date of Mfg. : Nov 2021
Date of Exp. : Oct 2026
Register No. : 2021-22
Qty of Sample : 1000ml
Date of Analysis : Nov 2021

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	A Clear colorless liquid.
2.	Assay	99.84%	Min.99.7%
3.	Wt. per ml at 20°C	0.7843gm	About 0.7841 g
4.	Colour	Passes	10 Hazen units
5.	Water	0.071%	Max.0.1%
6.	Acidity	<0.001%	Max.0.001%
7.	Non-volatile matter	0.001%	Max.0.001%
8.	Aldehydes and Ketones	<0.005%	Max.0.005%
9.	Ethanol	0.0075%	Max.0.02%
10.	Iron	0.00001%	Max.0.00001%
11.	Potassium	0.00001%	Max.0.00001%
12.	Sodium	0.0001%	Max.0.0001%
13.	Zinc	0.00002%	Max.0.00002%
14.	Substances reducing Permanganate	Passes	Max.0.0005%

Chief Chemist