



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket "D", Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Antimony potassium tartrate AR
Batch No. : 224991
Date of Mfg. : Sep 2021
Date of Exp. : Aug 2026
Register No. : 2021-22
Qty of Sample : 500gm
Date of Analysis : Sep 2021

S.No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	White Crystalline Powder
2.	Assay (iodometric)	99.8%	99.0 – 103.0%
3.	Identity	Passes	To Pass Test
4.	Optical Rotation	Passes	+137° to +145°
5.	Arsenic	0.005%	Max.0.015%
6.	Loss on drying	1.93%	Max.2.7%

Chief Chemist