



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Urea AR Grade for Biochemistry
Batch No. : 224943
Date of Mfg : Sep 2021
Date of Exp : Aug 2026
Register No. : 2021-22
Qty of Sample : 500gm
Date of Analysis : Sep 2021

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	White fine crystalline powder
2.	Assay (on dry basis)	99.8% NH ₂ .CO.NH ₂	Min.99.5%
3.	Melting Point	131 – 132°C	131 – 134°C
4.	Water insoluble matter	0.0018%	Max.0.003%
5.	Acidity	Passes	Max.0.05 ml N%
6.	Alkalinity	Passes	Max.0.05 ml N%
7.	Sulphated ash	0.001%	Max.0.005%
8.	Chloride	0.0005%	Max.0.0005%
9.	Sulphate	0.0005%	Max.0.001%
10.	Copper	0.0001%	Max.0.0001%
11.	Iron	0.0001%	Max.0.0001%
12.	Lead	0.0002%	Max.0.0002%
13.	Biuret	0.021%	Max.0.05%

Chief Chemist