



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket "D", Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Ammonium Molybdate AR
Batch No. : 224547
Date of Mfg : Feb 2021
Date of Exp : Jan 2026
Register No. : 2021-22
Qty of Sample : 100 gm
Date of Analysis : Feb 2021

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	White to almost white Crystalline powder
2.	Assay	99.58%	Min.99.0%
3.	Water insoluble matter	0.002%	Max.0.005%
4.	Chloride	0.0005%	Max.0.0005%
5.	Arsenate, phosphate and silicate	0.00045%	Max.0.0005%
6.	Sulphate	0.002%	Max.0.005%
7.	Copper	0.001%	Max.0.001%
8.	Iron	0.0002%	Max.0.001%
9.	Lead	0.0004%	Max.0.001%

Chief Chemist