



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : **Paraffin Soft Yellow**
Batch No. : **225271**
Date of Mfg : **Dec 2021**
Date of Exp : **Nov 2026**
Register No. : **2021-22**
Qty of Sample : **500gm**
Date of Analysis : **Dec 2021**

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	A pale yellow translucent soft unctuous mass.
2.	Melting Point	40.5°C	38 - 56°C
3.	Light Absorption (0.05% w/v soln.in Iso-octane at 290 nm)	0.7	Max. 0.75
4.	Sulphated ash	< 0.1%	Max.0.1%
5.	Acidity or alkalinity	Passes	To pass the test.
6.	Foreign organic matter	Passes	To pass the test

Chief Chemist