



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket "D", Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Paraffin Wax 58-60°C
Batch No. : 225265
Date of Mfg : Dec 2021
Date of Exp : Nov 2026
Register No. : 2021-22
Qty of Sample : 500gm
Date of Analysis : Dec 2021

S. No	Test Parameters	Observed Values	Standard Values
1.	Appearance	Passes	White to pale yellow waxy flakes/cubes
2.	Impurities reacting alkaline or acid	Passes	To Pass test
3.	Solidification point	Passes	58 - 60°C
4.	Extinction	Passes	To Pass test
5.	Reaction against H ₂ SO ₄	Passes	To Pass test
6.	Sulphated ash	< 0.05%	Max.0.05%

Chief Chemist