



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket "D", Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : 2,7-Dichloro Fluorescein AR/ACS
Batch No. : 225364
Date of Mfg. : Feb 2022
Date of Exp. : Jan 2027
Register No. : 2022-23
Qty of Sample : 10gm
Date of Analysis : Feb 2022

S.No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	A reddish brown powder
2.	Clarity of solution (According to ACS)	Passes	Passes test
3.	Loss on drying at 110°C	< 3.0%	Max. 3.0%
4.	Suitability (as adsorption indicator according to ACS)	Passes	Passes test

Chief Chemist