



Serving Scientific Community  
Since 1985



**TECHNO PHARMCHEM**

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)  
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)  
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)  
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com  
Website : www.technopharmchem.com

### CERTIFICATE OF ANALYSIS

**Name of the Sample** : Hydroxylamine Hydrochloride AR  
**Batch No.** : 225413  
**Date of Mfg** : Feb 2022  
**Date of Exp** : Jan 2027  
**Register No.** : 2022-23  
**Qty of Sample** : 500gm  
**Date of Analysis** : Feb 2022

S.No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	White crystalline powder
2.	Assay	99.61%	Min.99%
3.	pH (5% solution)	3.05	2.5 – 3.5
4.	Sulphate	0.0004%	Max.0.002%
5.	Heavy metals (as Pb)	0.0005%	Max.0.0005%
6.	Copper	0.0005%	Max.0.001%
7.	Iron	0.0001%	Max.0.0005%
8.	Ammonium	< 0.1%	Max.0.1%
9.	Residue on ignition (as SO <sub>4</sub> )	0.0087%	Max.0.01%

**Chief Chemist**