



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Lactic Acid LR
Batch No. : 225301
Date of Mfg : Jan 2022
Date of Exp : Dec 2026
Register No. : 2022-23
Qty of Sample : 500ml
Date of Analysis : Jan 2022

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	Clear Colorless to Pale yellow syrupy Liquid
2	Assay (after hydrolysis of anhydrides)	88.5%	Min.88%
3.	Wt per ml at 20°C	1.211 g	About 1.21 g
4.	Sulphated ash	< 0.03%	Max.0.03%
5.	Chloride	< 0.01%	Max.0.01%
6.	Sulphate	< 0.01%	Max.0.01%
7.	Iron	<0.001%	Max.0.001%

Chief Chemist