



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Lactic Acid AR
Batch No. : 225334
Date of Mfg : Feb 2022
Date of Exp : Jan 2027
Register No. : 2022-23
Qty of Sample : 500ml
Date of Analysis : Feb 2022

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	Clear Colorless to Pale yellow syrupy Liquid
2.	Assay	89.14%	Min.88.0%
3.	Wt. per ml at 20°C	1.205g	1.200 – 1.206 g
4.	Colour	Passes	Max.10 HU
5.	Sulphated ash	0.002%	Max.0.01%
6.	Chloride	0.001%	Max.0.001%
7.	Sulphate	0.001%	Max.0.005%
8.	Arsenic	0.00001%	Max.0.00001%
9.	Copper	0.0001%	Max.0.0001%
10.	Iron	0.0001%	Max.0.0001%
11.	Lead	0.0001%	Max.0.0001%

Chief Chemist