



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Hydrazinium Sulphate
Batch No. : 225771
Date of Mfg : June 2022
Date of Exp : May 2027
Register No. : 2022-23
Qty of Sample : 250gm
Date of Analysis : June 2022

S.No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	White Powder becomes Dark on exposure to Air and light
2.	Assay (iodometric)	99.05%	Min.98.0%
3.	Chloride	0.0012%	Max.0.002%
4.	Heavy metals (as Pb)	0.0004%	Max.0.001%
5.	Iron	0.0002%	Max.0.001%
6.	Residue on ignition (as Sulphate)	0.02%	Max.0.1%

Chief Chemist