



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : **Dimethyl Glyoxime**
Batch No. : **225429**
Date of Mfg : **Feb 2022**
Date of Exp : **Jan 2027**
Register No. : **2022-23**
Qty of Sample : **100gm**
Date of Analysis : **Feb 2022**

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	White crystalline powder
2.	Assay (via nickel complex)	98.5%	Min.98%
3.	Melting point (With decomposition)	238 -238.8°C	237 - 241°C
4.	Sulphated ash	0.019%	Not more than 0.1%

Chief Chemist