



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Yeast Extract Powder
Batch No. : 225821
Date of Mfg : June 2022
Date of Exp : May 2025
Register No. : 2022-23
Qty of Sample : 500 gm
Date of Analysis : June 2022

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	Fine free flowing creamy Yellow-light brown powder
2.	pH (2% solution)	6.2	5.0 - 7.0
3.	Assay (ex N , on dried Basis)	62.5%	Min.60.0%
4.	Loss on drying	3.91%	Max.5.0%
5.	Ash	7.02%	N.M.T 10%
6.	Foreign material	Passes	Absent
7.	Coagulable proteins	Passes	Absent
8.	Suitability for micro- Biology & bacteriology	Passes	To Pass test

Chief Chemist