



Serving Scientific Community  
Since 1985



**TECHNO PHARMCHEM**

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)  
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)  
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)  
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com  
Website : www.technopharmchem.com

### CERTIFICATE OF ANALYSIS

**Name of the Sample** : Methyl Orange pH Indicator  
**Batch No.** : 226106  
**Date of Mfg** : Nov 2022  
**Date of Exp** : Oct 2027  
**Register No.** : 2022-23  
**Qty of Sample** : 100gm  
**Date of Analysis** : Nov 2022

S. No	Test Parameters	Observed Values	Standard Values
1.	Appearance	Passes	Dark orange powder
2.	Transition range pH 3.1-4.4	Passes	Pink – Orange yellow
3.	Solubility 0.1% (Dist. water)	Passes	Orange solution
4.	Absorptivity 1%/1cm, (pH 3.1) at $\lambda$ max. 504.4 nm (pH 4.4) at $\lambda$ max. 468.6 nm	1214 839	>1050 > 750
5.	Loss on drying at 110°C (1 hr)	1.38%	< 3%
6.	Transition range acc. ACS	Passes test	Passes test

**Chief Chemist**