



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : **Ascorbic Acid AR**
Batch No. : **226085**
Date of Mfg : **Nov 2022**
Date of Exp : **Oct 2027**
Register No. : **2022-23**
Qty of Sample : **100gm**
Date of Analysis : **Nov 2022**

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	A white to very pale yellow crystalline powder or crystals, on exposure to light it gradually darkens.
2.	Assay	99.73%	Min.99.7%
3.	Specific Rotation (10% solution)	+ 20.8°	+ 20.5° to + 21.5°
4.	Water-Insoluble matter	0.0014%	Max.0.003%
5.	Loss on Drying	0.058%	Max.0.1%
6.	Sulphated ash	< 0.05%	Max.0.05%
7.	Chloride	< 0.005%	Max.0.005%
8.	Sulphate	< 0.002%	Max.0.002%
9.	Copper	< 0.0005%	Max.0.0005%
10.	Iron	< 0.0002%	Max.0.0002%
11.	Lead	< 0.0005%	Max.0.0005%

Chief Chemist