



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Glycine
Batch No. : 226092
Date of Mfg : Nov 2022
Date of Exp : Oct 2027
Register No. : 2022-23
Qty of Sample : 500gm
Date of Analysis : Nov 2022

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	White crystalline Powder
2.	Assay (on dried basis)	99.2%	Min.99%
3.	pH Value (5% water)	6.3	5.5 – 7.0
4.	Loss on drying at 105°C	0.21%	Max.0.5%
5.	Iron	0.002%	Max.0.003%
6.	Heavy metals	0.0005%	Max.0.002%
7.	Chloride	0.001%	Max.0.005%
8.	Sulphate	0.002%	Max.0.01%

Chief Chemist