



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket "D", Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : **Mercuric Chloride AR**
Batch No. : **226160**
Date of Mfg : **Dec 2022**
Date of Exp : **Nov 2027**
Register No. : **2022-23**
Qty of Sample : **100gm**
Date of Analysis : **Dec 2022**

S.No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	White Crystalline Powder
2.	Assay	99.85%	Min.99.5%
3.	Diethyl ether insoluble matter	Passes	Max.0.01%
4.	Water insoluble matter	0.0045%	Max.0.01%
5.	Residue after reduction	0.018%	Max.0.02%
6.	Nitrate	< 0.001%	Max.0.001%
7.	Calcium	< 0.001%	Max.0.001%
8.	Copper	< 0.0005%	Max.0.0005%
9.	Iron	< 0.001%	Max.0.001%
10.	Lead	< 0.0005%	Max.0.0005%
11.	Magnesium	< 0.001%	Max.0.001%
12.	Potassium	< 0.005%	Max.0.005%
13.	Sodium	< 0.005%	Max.0.005%

Chief Chemist