



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Cholesterol
Batch No. : 225738
Date of Mfg. : June 2022
Date of Exp. : May 2027
Register No. : 2022-23
Qty of Sample : 100gm
Date of Analysis : June 2022

S.No	Test Parameters	Observed Values	Standard Values
1.	Appearance	Passes	White to off-white Crystalline powder
2.	Assay	99.1%	97 – 103%
3.	Melting point	147 – 148°C	145 - 149°C
4.	Specific rotation (5% w/v solution in chloroform)	-37.8°	-40.5° to -38.0°
5.	Moisture	0.15%	Max. 0.5%
6.	Sulphated ash	0.03%	Max. 0.1%

Chief Chemist