



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket "D", Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Bromothymol Blue pH Indicator
Batch No. : 226530
Date of Mfg : May 2023
Date of Exp. : April 2028
Register No. : 2023-24
Qty of Sample : 100 gm
Date of Analysis : May 2023

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	Buff to Light Pink Powder
2.	Transition Range pH: 5.8 pH: 7.6	Passes Passes	Yellow Blue
3.	Solubility 0.1% (EtOH)	Passes	Clear solution
4.	Absorptivity 1%, 1cm (pH 5.8) at λ max 431.2 nm (pH 7.6) at λ max 616.6 nm	292 504	260 – 300 470 – 520
5.	Loss on drying at 110°C (1hr)	1.95%	< 3%
6.	Transition range acc to ACS	Passes test	Passes test

Chief Chemist