



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : di - Potassium Oxalate AR
Batch No. : 226391
Date of Mfg : March 2023
Date of Expiry : Feb 2028
Register No : 2023-24
Qty of Sample : 500gm
Date of Analysis : March 2023

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	White Crystalline Powder
2.	Assay	99.85% $K_2C_2O_4 \cdot 2H_2O$	Min.99.5%
3.	Water-insoluble matter	0.0021%	Max.0.005%
4.	Chloride	< 0.001%	Max.0.001%
5.	Nitrogen compounds	< 0.002%	Max.0.002%
6.	Sulphate	< 0.01%	Max.0.01%
7.	Copper	< 0.0005%	Max.0.0005%
8.	Iron	< 0.0005%	Max.0.0005%
9.	Lead	< 0.0005%	Max.0.0005%
10.	Sodium	< 0.02%	Max.0.02%

Chief Chemist