



Serving Scientific Community  
Since 1985



**TECHNO PHARMCHEM**

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)  
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)  
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)  
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com  
Website : www.technopharmchem.com

### **CERTIFICATE OF ANALYSIS**

**Name of the Sample** : **Salicylic Acid AR**  
**Batch No.** : **226816**  
**Date of Mfg** : **Aug 2023**  
**Date of Exp** : **July 2028**  
**Register No.** : **2023-24**  
**Qty of Sample** : **500gm**  
**Date of Analysis** : **Aug 2023**

<b>S.No</b>	<b>Test Parameters</b>	<b>Observed Values</b>	<b>Standard Values</b>
1.	<b>Description</b>	<b>Passes</b>	<b>A White Powder</b>
2.	<b>Assay</b>	<b>99.9%</b>	<b>Min.99.9%</b>
3.	<b>Melting point</b>	<b>159.5 – 160°C</b>	<b>158.5 – 161°C</b>
4.	<b>Alcohol insoluble matter</b>	<b>0.0006%</b>	<b>Max.0.005%</b>
5.	<b>Ammonia insoluble matter</b>	<b>0.005%</b>	<b>Max.0.005%</b>
6.	<b>Sulphated ash</b>	<b>0.0073%</b>	<b>Max.0.02%</b>
7.	<b>Chloride</b>	<b>0.0002%</b>	<b>Max.0.001%</b>
8.	<b>Sulphate</b>	<b>0.0005%</b>	<b>Max.0.01%</b>
9.	<b>Copper</b>	<b>0.0001%</b>	<b>Max.0.0001%</b>
10.	<b>Iron</b>	<b>0.00008%</b>	<b>Max.0.0001%</b>
11.	<b>Lead</b>	<b>0.00005%</b>	<b>Max.0.0001%</b>

**Chief Chemist**