



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Cholesterol AR
Batch No. : 227043
Date of Mfg : Oct 2023
Date of Exp : Sep 2028
Register No. : 2023-24
Qty of Sample : 100gm
Date of Analysis : Oct 2023

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	White to Off white Crystalline powder
2.	Assay	99.21%	Min.99.0%
3.	Melting point	148.5 - 149.2°C	148 - 150°C
4.	Soluble matter in ethanol	Passes	Passes Test
5.	Loss on drying	0.17%	Max.0.3%
6.	Residue on ignition	0.08%	Max.0.1%

Chief Chemist