



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : **Fluid Thioglycolate Medium**
Batch No. : **226994**
Date of Mfg : **Sep 2023**
Date of Exp : **Aug 2026**
Register No. : **2023-24**
Qty of Sample : **500gm**
Date of Analysis : **Sep 2023**

S. No	Test Parameters	Observed Values	Standard Values
1.	Appearance	Passes	Cream to yellow homogeneous free flowing powder.
2.	Colour & Clarity of the prepared medium standing	Passes	Straw colored clear to slightly opalescent solution with upper 10% or less medium pink-purple on
3.	Reaction of 2.97% w/v aqueous solution at 25°C	7.02	pH : 7.1 +/- 0.2

Chief Chemist