



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Manganese (II) Chloride 4H₂O AR
Batch No. : 227365
Date of Mfg. : Feb 2024
Date of Exp : Jan 2029
Register No. : 2024-25
Qty of Sample : 500gm
Date of Analysis : Feb 2024

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	Pink Deliquescent crystalline powder
2.	Assay	99.71% MnCl ₂ .4H ₂ O	Min.98.0%
3.	Water insoluble matter	0.0005%	Max.0.003%
4.	Sulphate	0.0001%	Max.0.002%
5.	Barium	0.005%	Max.0.005%
6.	Copper	0.0001%	Max.0.0002%
7.	Iron	0.0002%	Max.0.0005%
8.	Lead	0.0002%	Max.0.0002%
9.	Magnesium	0.005%	Max.0.005%
10.	Nickel	0.002%	Max.0.002%
11.	Potassium	0.0002%	Max.0.005%
12.	Sodium	0.0001%	Max.0.005%
13.	Zinc	0.001%	Max.0.001%
14.	Oxidising substances	Passes	No Reaction
15.	Substances reducing Iodine	0.0038%	Max.0.0065%

Chief Chemist