



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : *di* - Potassium Oxalate AR
Batch No. : 227275
Date of Mfg. : Jan 2024
Date of Expiry : Dec 2028
Register No : 2024-25
Qty of Sample : 500gm
Date of Analysis : Jan 2024

| S. No | Test Parameters | Observed Values | Standard Values |
|-------|------------------------|--------------------------------|--------------------------|
| 1. | Description | Passes | White Crystalline Powder |
| 2. | Assay | 99.78% $K_2C_2O_4 \cdot 2H_2O$ | Min.99.5% |
| 3. | Water-insoluble matter | 0.0018% | Max.0.005% |
| 4. | Chloride | < 0.001% | Max.0.001% |
| 5. | Nitrogen compounds | < 0.002% | Max.0.002% |
| 6. | Sulphate | < 0.01% | Max.0.01% |
| 7. | Copper | < 0.0005% | Max.0.0005% |
| 8. | Iron | < 0.0005% | Max.0.0005% |
| 9. | Lead | < 0.0005% | Max.0.0005% |
| 10. | Sodium | < 0.02% | Max.0.02% |

Chief Chemist