



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : **Ascorbic Acid LR**
Batch No. : **227016**
Date of Mfg. : **Sep 2023**
Date of Exp : **Aug 2028**
Register No. : **2023-24**
Qty of Sample : **500gm**
Date of Analysis : **Sep 2023**

S.No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	A white to very pale yellow crystalline powder or crystals, on exposure to light it gradually darkens.
2.	Assay	99.2%	Min.99%
3.	Specific Rotation (10% solution)	+20.91°	+ 20.5° to + 21.5°
4.	Residue on ignition	< 0.1%	Max.0.1%
5.	Heavy metals (as Pb)	< 0.002%	Max.0.002%
6.	Iron	< 0.001%	Max.0.001%

Chief Chemist