



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : **Fluid Thioglycolate Medium**
Batch No. : **227731**
Date of Mfg. : **July 2024**
Date of Exp : **June 2027**
Register No. : **2024-25**
Qty of Sample : **500gm**
Date of Analysis : **July 2024**

| S. No | Test Parameters | Observed Values | Standard Values |
|-------|---|-----------------|--|
| 1. | Appearance | Passes | Cream to yellow homogeneous free flowing powder. |
| 2. | Colour & Clarity of the prepared medium standing | Passes | Straw colored clear to slightly opalescent solution with upper 10% or less medium pink-purple on |
| 3. | Reaction of 2.97% w/v aqueous solution at 25°C | 7.13 | pH : 7.1 +/- 0.2 |

Chief Chemist