



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Ammonium Formate LR
Batch No. : 226908
Date of Mfg. : Sep 2023
Date of Exp : Aug 2028
Register No. : 2023-24
Qty of Sample : 500gm
Date of Analysis : Sep 2023

S.No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	White to almost white hygroscopic crystalline Powder.
2.	Assay (ODB)	98.60%	Min.97.0%
3.	pH (5% ,20°C)	6.49	6.0 - 7.0
4.	Heavy metals (as Pb)	< 0.002%	Max. 0.002%
5.	Chloride	< 0.005%	Max. 0.005%
6.	Iron	< 0.002%	Max. 0.002%
7.	Sulphate	< 0.01%	Max. 0.01%

Chief Chemist