



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Hydrazinium Sulphate LR
Batch No. : 227841
Date of Mfg. : July 2024
Date of Exp : June 2029
Register No. : 2024-25
Qty of Sample : 250gm
Date of Analysis : July 2024

| S.No | Test Parameters | Observed Values | Standard Values |
|------|-----------------------------------|-----------------|--|
| 1. | Description | Passes | White Powder becomes Dark on exposure to Air and light |
| 2. | Assay (iodometric) | 99.20% | Min.98.0% |
| 3. | Chloride | 0.0012% | Max.0.002% |
| 4. | Heavy metals (as Pb) | 0.0005% | Max.0.001% |
| 5. | Iron | 0.001% | Max.0.001% |
| 6. | Residue on ignition (as Sulphate) | 0.063% | Max.0.1% |

Chief Chemist