



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : **Dichloromethane LR**
Batch No. : **227920**
Date of Mfg. : **Sep 2024**
Date of Exp : **Aug 2029**
Register No. : **2024-25**
Qty of Sample : **500ml**
Date of Analysis : **Sep 2024**

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	A Clear colorless liquid
2.	Assay	99.45%	Min.98%
3.	Wt. per ml at 20°C	1.3252g	1.323-1.327 g
4.	Water	0.014%	Max.0.05%
5.	Nonvolatile matter	0.0008%	Max.0.001%
6.	Acidity	0.0001%	Max.0.001%

Chief Chemist