



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Glycerol LR
Batch No. : 227914
Date of Mfg. : Sep 2024
Date of Exp : Aug 2029
Register No. : 2024-25
Qty of Sample : 500ml
Date of Analysis : Sep 2024

S.No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	Clear colorless viscous liquid
2.	Assay	99.41%	Min.98%
3.	Wt. per ml at 20°C	1.256g	1.255-1.260 g
4.	Refractive index	1.4718	1.471-1.474
5.	Neutrality	Passes	A 20% solution is Neutral to litmus
6.	Ash	<0.02%	Max.0.02%

Chief Chemist