



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : **Magnesium Ribbon**
Batch No. : **227802**
Date of Mfg. : **July 2024**
Date of Exp. : **June 2029**
Register No. : **2024-25**
Qty of Sample : **25gm**
Date of Analysis : **July 2024**

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	Silvery White Ribbon
2.	Assay	99.65%	Min.99.5%
3.	Aluminium	<0.02%	Max.0.02%
4.	Copper	<0.01%	Max.0.01%
5.	Iron	<0.01%	Max.0.01%
6.	Manganese	<0.02%	Max.0.02%
7.	Zinc	<0.02%	Max.0.02%

Chief Chemist