



Serving Scientific Community  
Since 1985



**TECHNO PHARMCHEM**

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)  
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)  
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)  
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com  
Website : www.technopharmchem.com

### CERTIFICATE OF ANALYSIS

**Name of the Sample** : 4 - Amino Butyric Acid  
**Batch No.** : 227747  
**Date of Mfg.** : July 2024  
**Date of Exp** : June 2029  
**Register No.** : 2024-25  
**Qty of Sample** : 100gm  
**Date of Analysis** : July 2024

S.No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	Off-white crystalline Powder
2.	Assay (by HClO <sub>4</sub> titration)	98.4%	Min 98%
3.	Melting point	198 – 198.6°C	197 - 204°C

**Chief Chemist**