



Serving Scientific Community  
Since 1985



**TECHNO PHARMCHEM**

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)  
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)  
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)  
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com  
Website : www.technopharmchem.com

### CERTIFICATE OF ANALYSIS

**Name of the Sample** : **Phloroglucinol AR**  
**Batch No.** : **226854**  
**Date of Mfg.** : **Aug 2023**  
**Date of Exp** : **July 2028**  
**Register No.** : **2023-24**  
**Qty of Sample** : **100gm**  
**Date of Analysis** : **Aug 2023**

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	Yellowish crystalline powder
2.	Assay	99.8%	Min.99.0%
3.	Melting Range	216.7 – 217.1°C	215 – 220°C
4.	Sulphated ash	0.093%	Max.0.1%
5.	Loss on drying	0.41%	Max.1.0%
6.	Diresorcine	Passes	Passes Test

**Chief Chemist**