



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : **Succinic Acid**
Batch No. : **227383**
Date of Mfg. : **March 2024**
Date of Exp : **Feb 2029**
Register No. : **2024-25**
Qty of Sample : **500gm**
Date of Analysis : **March 2024**

S. No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	White Crystalline Powder
2.	Assay	99.61%	Min.99%
3.	Melting Point	186.5°C	185 – 189°C
4.	Sulphated ash	< 0.1%	Max.0.1%
5.	Chloride	< 0.01%	Max.0.01%
6.	Sulphate	< 0.04%	Max.0.04%

Chief Chemist