



Serving Scientific Community  
Since 1985



**TECHNO PHARMCHEM**

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)  
Corporate Off. : 152, Vardhman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)  
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)  
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com  
Website : www.technopharmchem.com

### CERTIFICATE OF ANALYSIS

**Name of the Sample** : Benzyl alcohol  
**Batch No.** : 228108  
**Date of Mfg.** : Nov 2024  
**Date of Exp** : Oct 2029  
**Register No.** : 2024-25  
**Qty of Sample** : 500ml  
**Date of Analysis** : Nov 2024

S.No	Test Parameters	Observed Values	Standard Values
1.	Description	Passes	A clear colorless liquid
2.	Assay	99.4%	Min.99%
3.	Wt. per ml at 20°C	1.045g	1.043 - 1.048 g
4.	Refractive index	1.538	1.536 - 1.542
5.	Acidity	<0.06%	Max.0.06%
6.	Non-volatile matter	<0.05%	Max.0.05%
7.	Benzaldehyde	<0.2%	Max.0.2%
8.	Chlorine compounds	<0.1%	Max.0.1%

**Chief Chemist**