



Serving Scientific Community
Since 1985



TECHNO PHARMCHEM

An ISO 9001 : 2008 Certified Company

Registered Off. : 101-A, Deep Enclave, Pocket 'D', Ashok Vihar, Phase-III, Delhi-110 052 (India)
Corporate Off. : 152, Vardhiman City Centre, Near Shakti Nagar Underbridge, Delhi-110052 (India)
Works : Plot No.1022, Modern Industrial Estate, Bahadurgarh-124507, Haryana (India)
Telephone : 0091 - 11 - 23646422 E-mail : tecpharm@gmail.com
Website : www.technopharmchem.com

CERTIFICATE OF ANALYSIS

Name of the Sample : Potassium Acetate AR
Batch No. : 228290
Date of Mfg. : Jan 2025
Date of Exp : Dec 2029
Register No. : 2025-26
Qty of Sample : 500gm
Date of Analysis : Jan 2025

S. No	Test Parameters	Observed Values	Standard Values
1.	Appearance	Complies	White crystalline powder
2.	Assay	99.61% CH ₃ .COOK	Min.99.0%
3.	pH (5% solution)	7.90	7.0 - 9.0
4.	Insoluble matter	< 0.005%	Max. 0.005%
5.	Chloride	< 0.001%	Max. 0.001%
6.	Phosphate	< 0.001%	Max. 0.001%
7.	Sulphate	< 0.002%	Max. 0.002%
8.	Ammonium	< 0.0005%	Max. 0.0005%
9.	Calcium	< 0.002%	Max. 0.002%
10.	Copper	< 0.0002%	Max. 0.0002%
11.	Iron	< 0.0005%	Max. 0.0005%
12.	Lead	< 0.0002%	Max. 0.0002%
13.	Magnesium	< 0.002%	Max. 0.002%
14.	Sodium	< 0.03%	Max. 0.03%

Chief Chemist